

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 10A




FIG. 10B




FIG. 10C





FIG. 11A




FIG. 11B




Fig. 11C




Fig. 11D




Fig. 11E

Client Manager - Microsoft Internet Explorer

Client Detail 11F10

Client Name*: TestClient 11F12

Email*: testcl@openreach.com 11F14

Password*: ***** 11F16

Verify password*: *****

Gateway Groups

☐ Select All 11F20

☐ DavesGroup 11F24

☐ OpenReach.Ohuajie

☐ OpenReach.BuckDiego 11F22

☐ OpenReach.BuckVegas

Actions

OK Cancel

11F30 11F32

11F26

11F00

Fig. 11F




Fig. 11G

1210	{	<local computer information>	
		computer_name	="org5"
		domain_name	="bugwheat2"
		virtualip_address	="10.0.11.130"
		visibleip_address	="208.185.39.2"
		firewall_in_place	="no"
		network_config	="Inline"
		dns_from_dhcp	="no"
		dns_primary	="10.10.10.2"
		dns_secondary	="10.10.10.3"
		Proxyip	="208.185.40.2"
1212	{	</local computer information>	
		<local interface information>	
		name	="eth0"
		mac_layer_address	="00:90:27:EE:02:3B"
		local IP address	="208.185.39.2"
		gateway	="208.185.39.1"
		subnet_mask	="255.255.255.0"
1214	{	dhcp	="none"
		</local interface information>	
		<local LAN Information><address range>	
		startip_address_range	="208.185.49.1"
		endip_address_range	="208.185.49.255"
1216	{	type	="included"
		gateway	=""
		</address range> </local LAN Information>	
		<cryptographic key>	
		kind	="PublicKey"
		type	="NOC's Primary Key"
		format	="RSA"
1218	{	encryption	="3DES"
		modulus	="0x ... 01"
		modulus_bits	="1024"
		public_exp	="0x03"
		</cryptographic key>	
		<firewall rule>	
		protocol="tcp"	
		direction="in"	
		src_ip_mask="\$any"	
		src_port="1024:65535"	
		dst_ip_mask="\$1"	
		dst_port="21"	
		action="ACCEPT"	
		rule_number="1"	
		</firewall rule>	

Fig. 12




FIG. 13




FIG. 14

1500




FIG. 15A




FIG. 15B

2200




FIG. 15C




FIG. 16A

1600B




FIG. 16B




FIG. 17

1800




FIG. 18




FIG. 19




FIG. 20




FIG. 21




Fig. 22




Fig. 23




Fig. 24




FIG. 25

Order OpenReach TrueSpan Services - Netscape

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Bookmarks Location http://208.171.204.133/openreach/_a_pools_form.asp What's Related

OpenReach Reference Always Stuff Stock Stuff Yahoo! Finance Clock Check Domain Foodproof Babo

Partner Programs
News Room
Promotions & Events
TrueSpan Login

Go OrderNow!

Note: You are under no obligation to purchase by submitting this form
*When you order 8:00am-5:00pm EST, Monday through Friday. Otherwise, you will be contacted by 1:00pm EST the next business day.

* Company name 2615
* First name 2620
* Last name 2625
* Job Title 2630
* Address 2635
Address 2
* City
* State
* Postal code 2640
* Country (Choose One) 2645
* Phone
Phone Extension
* Email 2650

I would like to receive periodic updates and promotional information from OpenReach via Email Yes ☐
* = required fields

Order Now! Clear

FIG. 26

2705

2710

2720

2730

2735

2740

2745

2750

2760

2770

Netcape

File Edit View Go Communicator Help

Order TrueSpan™ Services

Activation Plan Selection Wizard

Answer the following questions for your site(s) and then click on Continue

Site Description

Name

Country

Contact

Phone #

Email

How many users will be connecting to this site? 17

How many users will connect remotely to this site?

Do you have Internet access from your site?

Yes No

If yes, what type of connection do you have

DSL Cable

Do you have a firewall on your Local Area Network? (click here to find out if you have a firewall installed on your network)

Yes No

If yes, what kind of firewall do you have

Check Point Check Point

Do you have a dedicated PC that can be used as your TrueSpan Gateway? (click here for minimum hardware requirements)

No Yes

Enter Site Info

Select Activation Solution

Review And Place Your Order

Enter Credit Card Info

Netcape

FIG. 27

2805

2820

2840

2830

2810

OpenReach

Order TrueSpan™ Services

Activation Plan Selection Wizard Results

Below are the recommendations for your sites. Select the items you would like to order and click Continue

Recommendation for Home (Select one of the following recommendations)

Site	Activation Plan	Item	Price	Service charge
Home	Turnkey Activation with 500 Kbps	Dell Optiflex PC	\$1299	<input type="radio"/> \$99/Mo <input type="radio"/> \$1090/Yr <input type="radio"/> \$1980/2Yr
Home	Turnkey Activation with 500 Kbps	Rack Mounted PC	\$1499	<input type="radio"/> \$99/Mo <input type="radio"/> \$1090/Yr <input type="radio"/> \$1980/2Yr

Recommendation for Boston:

Site	Activation Plan	Item	Price	Service charge
Boston	Self Activation with 1 Mbps	Service Charge		<input type="radio"/> \$149/Mo <input type="radio"/> \$1640/Yr <input type="radio"/> \$2980/2Yr

☐ Enter Site Info
☒ Select Activation Solution
☐ Review And Place Your Order
☐ Enter Credit Card Info

FIG. 28

Configuration for site: Home

Country: United States

Contact: Somebody

Phone #: 123 456 7890

Email: somebody@company.com

Activation Plan	Description	Price	Service Charge
<input checked="" type="radio"/> Turnkey Activation	Purchase a pre-configured computer/server to be used as the TrueSpan VPN Gateway In addition, our network engineers will configure equipment and walk you through the installation Select a PC Dell Optiflex PC	\$1,299	\$99/Mo
<input type="radio"/> Remote Activation	Our network engineers will configure equipment and walk you through the installation	\$250	\$99/Mo
<input type="radio"/> Self Activation	Complete the service installation yourself using the Openreach support system	\$0	\$99/Mo
<input type="radio"/> VAR Support	Can either be provided by a certified VAR Partner provided by OpenReach or a VAR Partner of your choice	Varies	\$99/Mo

Select a Pricing Plan Monthly

Your Price depends on your bandwidth. Select your Internet Access type 500 Kbps

Total Price \$1,299 Service Charge \$99/Mo

Enter Site Info
Select Activation Solution
Review And Place Your Order
Enter Credit Card Info

Calculate Register Help Continue

FIG. 29

General
Network
Firewall
VPN
ACL
Routes
DHCP

3105
Identity and Location

3110
TrueSpan
Gateway Name*
NYC

3111
Street Address*
10 Madison Avenue
City*
New York

3112
State/Province*
New York
Postal Code (if US)
10012

Country*
UNITED STATES

3113
Time Zone*
(GMT-05:00) Eastern Time (US & Canada)

3101

3113
Configuration

3121
Peer Configuration

3120
Selected Configuration
Inline

3124
Billing Period
Monthly

3122
Inline Configuration

3123
Speed up to
500 Kbps

3125
Promotion Code

3130
Maintenance

3133
Preferred gateway maintenance time:
Day:
Sunday
Hour:
10:00AM

3140
Allow automatic reboot after maintenance.

3133
Actions

3150
OK
3160
Cancel
3170
Apply
3180
Help

FIG. 31

View/Modify Configuration for Gateway: Seattle

General **Network** Firewall VPN

3205 Network Parameters for Peer Configuration

3210 LAN Interface

3211 IP Address 3212 Network Mask 3213 Default Gateway

3220 Proxy Internet Access via Proxy Server 3221

3230 DNS

3231 Primary DNS 3232 Secondary DNS

3240 OK 3250 Reset 3260 Cancel 3270 Help

3275

FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40

```

4105 <monitoring_information>
4110   name="org-name"
4115   vip="virtual IP of org"
4120   ctime="system up time in seconds"
4125   <tunnel>
4130     vip="vip of buddy"
4135     age="age,uptime"
4135     <bandwidth>
4135       data="tod,interval,tx_bytes,tx_packets"
4135     </bandwidth>
4140     <latency>
4140       data="tod,interval,min,max,avg"
4140     </latency>
4140     ...
4145   </tunnel>
4145   <interface>
4145     name="eth0" | "tcpt0" | "ipsec0"
4150     <bandwidth>
4150       data="tod,interval,tx_bytes,tx_pkts,tx_errs,tx_dropped,
4150         rx_bytes,rx_pkts,rx_errs,rx_dropped"
4150     </bandwidth>
4150     ...

```

FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48